

Java Programming

Arthur Hoskey, Ph.D.
Farmingdale State College
Computer Systems Department

- Interfaces
- Lambda expressions
- Functional interfaces
- User-defined classes and Iterable

Today's Lecture

Interfaces

- **Defines a set of behaviors.**
- Classes **implement** interfaces.
- If a class implements an interface it guarantees that the methods in the interface will be implemented.
- Cannot call new on an interface but you can declare interface type variables.
- For example...

Interfaces

- Each of these vehicles can speed up and slow down (common behaviors).
- They may do it differently internally but they all can speed up and slow down.



Interfaces

```
public interface MovingVehicle {  
    public void SpeedUp();  
    public void SlowDown();  
}
```

- Interfaces specify behaviors but not implementations (no code for the methods).
- Classes will implement interfaces (give implementations for the methods).
- If an object implements the MovingVehicle interface then you know that it has SpeedUp() and SlowDown() methods defined.
- For example...

Interfaces

Car implements the
MovingVehicle interface

```
public class Car implements MovingVehicle
```

```
{
```

```
    private int m_Speed;
```

```
    public int GetSpeed() { return m_Speed; }
```

```
    public void SetSpeed(int speed) {m_Speed = speed;}
```

```
    public void SpeedUp() {
```

```
        // Code for SpeedUp
```

```
    }
```

```
    public void SlowDown() {
```

```
        // Code for SlowDown()
```

```
    }
```

```
}
```

Interfaces

Methods on Car
(NOT FROM
interface)



Methods on Car
(FROM
MovingVehicle)

```
public class Airplane implements MovingVehicle
{
    private int m_Speed;

    public int GetSpeed() { return m_Speed; }
    public void SetSpeed(int speed) {m_Speed = speed;}

    public void SpeedUp() {
        // Code for SpeedUp()
    }

    public void SlowDown() {
        // Code for SlowDown()
    }
}
```

Interfaces

- If a class declares that it implements an interface then it ***MUST implement ALL methods in the interface.***
- For example, it would be an error if the Car class only implemented the SpeedUp() method but not the SlowDown() method.

Interfaces

- A class can implement more than one interface.
- There is no limit to the number of interfaces that a class can implement.
- For example...

Interfaces

- Here is another interface:

```
public interface Hauls
{
    public void Load();
    public void Unload();
}
```

Interfaces

```
public class Truck implements MovingVehicle, Hauls {  
    private int m_Speed;  
  
    public int GetSpeed() { return m_Speed; }  
    public void SetSpeed(int speed) {m_Speed = speed;}
```

**Must implement ALL
methods of ALL
interfaces it
implements**

```
    public void SpeedUp()  
    { // Code for SpeedUp() }
```

```
    public void SlowDown()  
    { // Code for SlowDown() }
```

**Methods on Truck
(FROM
MovingVehicle)**



```
    public void Load()  
    { // Code for Load() }
```

```
    public void UnLoad()  
    { // Code for Unload() }
```

**Methods on Truck
(FROM Hauls)**



```
}
```

Interfaces

- If a class implements an interface I know that I can call the methods defined in the interface on that class.
- **Car** must have **SpeedUp()** and **SlowDown()** since it implements MovingVehicle.
- **Truck** must have **SpeedUp()** and **SlowDown()** since it implements MovingVehicle.

Interfaces

- We can design methods that take interface references.

```
Car c = new Car();  
Truck t = new Truck();
```

**Car implements MovingVehicle
so it can be passed in**

```
TestVehicle(c);  
TestVehicle(t);
```

**Truck implements MovingVehicle
so it can be passed in**

```
void TestVehicle(MovingVehicle x)  
{  
    x.SpeedUp();  
    x.SpeedUp();  
    x.SlowDown();  
}
```

**TestVehicle takes a
MovingVehicle as a parameter.
Any class that implements
MovingVehicle can be passed
as a parameter.**

**Call methods on
the interface**

Interfaces

t (Truck)
GetSpeed()
SetSpeed(int)
Load()
Unload()
SpeedUp()
SlowDown()

mv (MovingVehicle)
SpeedUp()
SlowDown()

h (Hauls)
Load()
Unload()

Truck t = new Truck();

MovingVehicle mv = t;

Hauls h = t;

Truck
int m_Speed
GetSpeed()
SetSpeed(int)

Hauls
Load()
Unload()

MovingVehicle
SpeedUp()
SlowDown()

Truck t = new Truck(); // OK
MovingVehicle mv = t; // OK
Hauls h = t; // OK

mv.SpeedUp(); // OK
h.Load(); // OK
t.SetSpeed(10); // OK

Interfaces

t (Truck)
GetSpeed()
SetSpeed(int)
Load()
Unload()
SpeedUp()
SlowDown()

mv (MovingVehicle)
SpeedUp()
SlowDown()

h (Hauls)
Load()
Unload()

Truck
int m_Speed
GetSpeed()
SetSpeed(int)

Hauls
Load()
Unload()

MovingVehicle
SpeedUp()
SlowDown()

COMPILE ERROR
Hauls does not
have SlowDown()

COMPILE ERROR
MovingVehicle
does not have
SetSpeed(int)

```
Truck t = new Truck();      // OK
MovingVehicle mv = t;       // OK
Hauls h = t;                // OK
```

```
mv.SetSpeed(10);            // NOT OK!!!
h.SlowDown();               // NOT OK!!!
t.SetSpeed(10);             // OK
```

Interfaces

- Can only call methods on an interface reference that the interface has in its definition.
- The interface reference itself has to know the method exists (in interface definition) to be able to call it.

```
Truck t = new Truck();    // OK  
MovingVehicle mv = t;    // OK  
Hauls h = t;              // OK
```

```
mv.SetSpeed(10);          // NOT OK!!!  
h.SlowDown();             // NOT OK!!!  
t.SetSpeed(10);           // OK
```

Interfaces

- Classes are allowed to both derive from another class and implement an interface.
- For example:

```
interface X { // X interface methods here... }
```

```
interface Y { // Y interface methods here... }
```

```
class B { // Class B members here... }
```


```
class D extends B implements X, Y ← Derives from B and  
{ implements X and Y  
    // Class D members here...  
}
```

Interfaces

- Now we will cover lambda expressions and functional interfaces...

Lambda Expressions and Functional Interfaces

- A **lambda expression** is an **anonymous method**.
- Here is a lambda expression that adds 10 to a number and returns the result:



Lambda Expression

You can do the following with lambda expressions:

- Pass a lambda expression to a method as a parameter
- Assign a lambda expression to a variable
- Return a lambda expression from a method

Lambda Expression

- Syntax for lambda expressions:

`(int a) -> { return a + 10; }`

 You can omit the parameter data types if you want (it will figure out the type based on how it is used)

`(a) -> { return a + 10; }`

 You can omit the braces and return if there is only one statement in the body

`(a) -> a + 10;`

 You can omit the parameter parenthesis if there is only one parameter

`a -> a + 10;`

 You can omit variables if there are no parameters

`() -> System.out.println("No parameters in lambda");`

Lambda Expression Syntax

Functional Interface

- An interface with only one abstract method.

```
interface MyFunctionalInterface
{
    int square(int x);
}
```

Contains only
ONE method



Functional Interface

- The example below declares an instance of the functional interface and populates it using a lambda expression.

```
interface MyFunctionalInterface
{
    int square(int x);
}
```

```
MyFunctionalInterface mfi; ← Declare a variable for  
the functional interface
```

```
mfi = (int x) -> { return x * x; }; ← Assign a lambda expression to  
the functional interface variable
```

```
int result;  
result = mfi.square(3); ← Call the method on the square method  
on the functional interface
```

Functional Interface and Lambda

- The example below passes a functional interface to a method which then uses it.

```
void TestMethod(MyFunctionalInterface x)
{
    int result;
    result = x.square(3);
    System.out.println(result);
}
```

Call the method using the parameter
(MyFunctionalInterface is defined on
the previous slide)

```
MyFunctionalInterface mfi;
mfi = (int x) -> { return x * x; }
```

```
TestMethod(mfi);
```


Pass in the functional interface variable
as a parameter to TestMethod

Pass Functional Interface to Method

- Now we will cover how to use the Iterable interface on a user-defined class...

User-defined Classes and Iterable

- Here is a collection with data (could be an array):



- Users of the collection may or may not have direct access to the items of the collection.
- There needs to be a way to “visit” each item of the collection while not having direct access to it.
- That is what an iterator is for.

Review - Iterators

- Iterators are helper classes that have access to the items of the collection.
- An iterator points at one item of the class.
- In general, you can do the following with an iterator:
 - Get the data at that item.
 - Go to the next item in the collection.
 - Remove the item from that collection.
- For example...

Review - Iterators

- You can design a class so that it is usable in the header of a for-each.
- Do the following:
 1. Implement the Iterable interface.
 2. Add an inner class that implements the Iterator interface.
- For example...

Making a Class Usable in for-each

1. Implement the **Iterable** interface on collection class...

Collection item
data type

```
public class MyCollection implements Iterable<Integer> {  
    private int[] data = { 10, 20, 30 };  
    ...  
}
```

Collection
(an array in this case)

@Override

```
public Iterator iterator() {  
    // iterator code goes here...  
}
```

The one and only method
of the Iterable interface.
Should return an Iterator
instance "pointing" into the
collection.

```
public class MyIterator implements Iterator<Integer> {  
    // MyIterator code goes here...  
}
```

```
}
```

Note: If the collection contains something other than Integer use that type instead. For example:

```
public class MyCollection implements Iterable<Employee> {  
    ...  
}
```


Making a Class Usable in for-each

2. Create an **Iterator** inner class...


An inner class has access to the outer classes member variables

```
public class MyCollection implements Iterable<Integer> {  
    private int[] data = { 10, 20, 30 };  
    @Override public Iterator<Integer> iterator() { // iterator code goes here... }
```

```
    public class MyIterator implements Iterator<Integer> {  
        int index = 0;  Store the index of the element  
the iterator is “pointing” at
```

```
        @Override  
        public boolean hasNext() { ... }  Is there another element after  
the current element?
```

```
        @Override  
        public Integer next() { ... }  Go to the next element of the  
collection
```

```
        @Override  
        public void remove() { ... }  Remove the current element  
from the collection
```

```
    }  
}
```

Making a Class Usable in for-each

- **Iterator class implements hasNext()...**

@Override

```
public boolean hasNext() {  
    if (index < data.length)  
        return true;
```

← **Make sure the index is
“pointing” at a valid element**

```
    return false;
```

```
}
```

- **Iterator class implements next()...**

@Override

```
public Integer next() {  
    Integer item = Integer.valueOf(data[index]);  
    index++;  
    return item;
```

← **Create an Integer instance
wrapper to hold the primitive
piece of data**

← **Go to next element**

↑ **Return the item**

```
}
```

**Note: There is no need to use a wrapper
class if the data is already a reference type**

Making a Class Usable in for-each

- MyCollection implements the iterator() method...

```
public class MyCollection implements Iterable<Integer> {  
    private int[] data = { 10, 20, 30 };
```

```
    @Override  
    public Iterator<Integer> iterator() {  
        return new MyIterator();  
    }
```

Return an instance of a class that implements the interface Iterator

Create a instance new instance of MyIterator (it implements the Iterator interface).

```
    public class MyIterator implements Iterator<Integer> {  
        // MyIterator members (on previous slides)...  
    }
```

```
}
```

Making a Class Usable in for-each


```
public class MyCollection implements Iterable<Integer> {  
    private int[] data = { 10, 20, 30 };
```

**MyCollection implements
Iterable<Integer>**

```
    @Override public Iterator<Integer> iterator() { return new MyIterator(); }  
  
    public class MyIterator implements Iterator<Integer> {
```

```
        int index = 0;
```

```
        @Override public boolean hasNext() {  
            if (index < data.length) return true;  
            return false;  
        }
```

```
        @Override public Integer next() {  
            Integer item = Integer.valueOf(data[index]);  
            index++;  
            return item;  
        }
```

```
        @Override public void remove() { } // Optional
```

```
    }
```

```
}
```

**MyIterator inner class
implements
Iterator<Integer>**

MyCollection – All Code

- **Using your collection class in a for-each...**

```
MyCollection c = new MyCollection();  
  
Collection  
item type    Variable name  
              for current item  
              Collection  
              instance  
for (int item : c)  
{  
    System.out.println("Item is: " + item);  
}
```

The for expects the collection to implement the Iterable interface:

- 1. for will automatically call the iterator() method on the collection (c in this case).**
- 2. The iterator it receives will have next() and hasNext() called on it automatically.**

Making a Class Usable in for-each

Iterator Interface Methods

Modifier and Type	Method	Description
boolean	<u>hasNext()</u>	Returns true if the iteration has more elements.
<u>E</u>	<u>next()</u>	Returns the next element in the iteration.
default void	<u>remove()</u>	Removes from the underlying collection the last element returned by this iterator (optional operation).

Note: E is the type of elements returned by the iterator. In the following example E would be Integer:

```
public class MyCollection implements Iterable<Integer>
{
}
```

E would be Integer



Taken from:

<http://docs.oracle.com/javase/8/docs/api/java/util/Iterator.html>

Iterable Interface Methods

Modifier and Type	Method	Description
<u>Iterator</u> < <u>T</u> >	<u>iterator</u> ()	Returns an iterator over a set of elements of type T.

Taken from:

<http://docs.oracle.com/javase/7/docs/api/java/lang/Iterable.html>

- End of Slides

End of Slides