

Java Programming

Arthur Hoskey, Ph.D.
Farmingdale State College
Computer Systems Department

- toString
- equals

Today's Lecture

- First we will cover the toString method...

toString

Object.toString() Method

toString() – Returns a string representation of the object.

- There is a default implementation of toString() defined on the Object class.
- **The default implementation will return a string that contains the object type concatenated with an integer.**

Object toString Implementation


Object

```
String toString() {  
    Returns string containing class name  
    and integer  
}
```

Object toString Implementation


```
public class Employee {  
    public String firstName;  
    public String lastName;  
}
```

You do not have to override toString.
If there is no toString override it will
use the base class methods toString
(Object in this case)



```
public class Driver {  
    public static void main(String[] args) {  
        Employee e1 = new Employee();  
        e1.firstName = "Arthur";  
        e1.lastName = "Hoskey";  
        System.out.println(e1.toString());  
    }  
}
```

Prints the class name and a
number (uses the base class
toString method which is
Object in this case)



Prints something like:

csc211.hoskey.compare.tostring.Employee@4fee225

Using Default toString Implementation

```
public class Employee {  
    public String firstName;  
    public String lastName;  
}
```

```
public class Driver {  
    public static void main(String[] args) {  
        Employee e1 = new Employee();  
        e1.firstName = "Arthur";  
        e1.lastName = "Hoskey";  
        System.out.println(e1); ←  
    }  
}
```

**Calls toString
automatically!!!**

Prints something like:

csc211.hoskey.compare.tostring.Employee@4fee225

**Passing a reference type to print
will automatically call toString**

Object **2**
String toString() {
 Returns string
 containing class
 name and integer
}



Employee **1**
No toString override in this
example

toString Method Resolution Example

1. Compiler checks Employee for a toString method implementation (does not exist).
2. Compiler checks base class (Object in this case) for a toString method implementation (finds it)


Compiler will use the Object
toString method implementation.

toString Method Resolution

Overrides toString in Employee

```
public class Employee {  
    public String firstName;  
    public String lastName;
```

Use **@Override** annotation
when overriding


```
@Override   
public String toString() {  
    String s = firstName + " " + lastName;  
    return s;  
}  
}
```

- toString will return a string that contains the first and last names separated by a space.

Override toString

```
public class Driver {  
    public static void main(String[] args) {  
        Employee e1 = new Employee();  
        e1.firstName = "Arthur";  
        e1.lastName = "Hoskey";  
        System.out.println(e1.toString());  
    }  
}
```

Prints:
Arthur Hoskey



**Uses Employee
override of toString
(we added it on
previous slide)**

Using toString Override

Object
String toString() {
Returns string
containing class
name and integer
}

Employee
String toString() {
Returns string
containing first and
last names
}

toString Method Resolution Example

1. Compiler checks Employee for a toString method implementation (DOES EXIST!!!).
- ~~2. Compiler checks base class (Object) for a toString method implementation (finds it)~~

Compiler will use the Employee toString method implementation.

Finds an Employee implementation of toString so it uses it. No need to check the base class.

toString Method Resolution

- Now we will cover the equals method...

equals

```
public class Driver {  
    public static void main(String[] args) {  
        Employee e1 = new Employee();  
        Employee e2 = new Employee();  
        e1.firstName = "Arthur";  
        e2.firstName = "Arthur";  
        e1.lastName = "Hoskey";  
        e2.lastName = "Hoskey";  
        if (e1 == e2) {  
            System.out.println("Equal");  
        } else {  
            System.out.println("Not equal");  
        }  
    }  
}
```

Prints:

Not equal

**Compares
addresses**



Object Compare (==)

Object.equals() Method


equals() – Indicates whether some other object is "equal to" this one.

- There is a default implementation of equals() defined on the Object class.
- **The default implementation will test if the addresses of the objects are equal.**

Object equals Implementation

```
public class Driver {  
    public static void main(String[] args) {  
        Employee e1 = new Employee();  
        Employee e2 = new Employee();  
        e1.firstName = "Arthur";  
        e2.firstName = "Arthur";  
        e1.lastName = "Hoskey";  
        e2.lastName = "Hoskey";  
        if (e1.equals(e2)) {  
            System.out.println("Equal");  
        } else {  
            System.out.println("Not equal");  
        }  
    }  
}
```

**No Employee equals method
so it calls Object equals
(address compare is used)**



Prints:

Not equal

**Note: The call to equals is being done on an Employee object
(NOT A STRING OBJECT)**

Object Compare (default equals)

Object **2**
boolean equals() {
 Returns true if
 addresses are equal
 and false otherwise
}

Employee **1**
No equals override



An orange arrow points from the Employee box to the Object box, indicating that the Employee class inherits the equals method from the Object class.

equals Method Resolution Example

1. **Compiler checks Employee for an equals method implementation (does not exist).**
2. **Compiler checks base class (Object) for an equals method implementation (finds it)**

Compiler will use the Object equals method implementation.

Equals Method Resolution

Override equals in Employee

```
public class Employee {  
    public String firstName;  
    public String lastName;
```

```
    @Override
```

```
    public boolean equals(Object obj) {
```

```
        Employee other = (Employee) obj; // Copy to Employee var
```


```
        if (firstName.equals(other.firstName) == false)  
            return false;
```

```
        if (lastName.equals(other.lastName) == false)  
            return false;
```

```
        return true;
```

```
    }  
}
```

firstName and lastname are Strings so it is calling the String.equals method which performs a string value comparison



- equals will return true if both firstname and lastname string values are the same and false otherwise.

Override equals

```
public class Driver {  
    public static void main(String[] args) {  
        Employee e1 = new Employee();  
        Employee e2 = new Employee();  
        e1.firstName = "Arthur";  
        e2.firstName = "Arthur";  
        e1.lastName = "Hoskey";  
        e2.lastName = "Hoskey";  
        if (e1.equals(e2)) {  
            System.out.println("Equal");  
        } else {  
            System.out.println("Not equal");  
        }  
    }  
}
```

Prints:

Equal

**Note: The call to equals is being done on an Employee object
(NOT A STRING OBJECT)**

**We added equals
implementation to
Employee so that
one will be used!!!**

Value Compare

Object
boolean equals() { ~~2~~
Returns true if
addresses are equal
and false otherwise
}

Employee
boolean equals() { 1
Returns true if
member variable
values are equal and
false otherwise.
}

equals Method Resolution Example

1. Compiler checks Employee for an equals method implementation (DOES EXIST!!!).
- ~~2. Compiler checks base class (Object) for an equals method implementation (finds it)~~

Compiler will use the Employee equals method implementation.

Finds an Employee implementation of equals so it uses it. No need to check the base class.

equals Method Resolution

String.equals() Method

equals() – The String class provides an override of the equals method. This override compares string values (not addresses).

- This is why the equals method works on strings.
- **For equals to work on classes that you create you must override it yourself. You will have to add code to compare the member variable values or whatever else you want to test.**

String equals

- End of Slides

End of Slides